


Applicant(s): Wang et al.
Serial No.: Unassigned
Express Mail No.: EV 073735201 US-

Filed: Herewith

Docket: 150.00900104 Sheet 1 of 9







Applicant(s): Wang et al.
Serial No.: Unassigned
Express Mail No.: EV 073735201 US

Filed: Herewith

Docket: 150.00900104 Sheet 2 of 9

FIG. 4





FIG. 5



Applicant(s): Wang et al.
Serial No.: Unassigned
Express Mail No.: EV 073735201 US

Filed: Herewith

Docket: 150.00900104 Sheet 3 of 9






FIG. 7





FIG. 8



4/9

FIG. 9





FIG. 10



Docket: 150.00900104 Sheet 5 of 9






FIG. 11B



Applicant(s): Wang et al.
Serial No.: Unassigned
Express Mail No.: EV 073735201 US

Filed: Herewith

Docket: 150.00900104 Sheet 6 of 9



Filed: Herewith

Docket: 150.00900104 Sheet 7 of 9

7/9

FIG. 13





FIG. 14



Herewith Docket: 150.00900104
Sheet 8 of 9

8/9

FIG. 15





FIG. 16

Overlays of the Oxygen Concentrations from 300 Titanium with Different Plasma Treatments



itle: METHOD OF PASSIVATING AN UXIDE SURFACE SUSSICE, pplicant(s): Wang et al.

Applicant(s): Wang et al.
Serial No.: Unassigned
Express Mail No.: EV 073735201 US

Filed: Herewith

Docket: 150.00900104 Sheet 9 of 9

9/9

FIG. 17

Overlays of the Nitrogen Concentrations for 300 Titanium with Various Plasma Treatments

